

## **TRABAJOS PUBLICADOS EN REVISTAS CIENTÍFICAS**

- 1) **Torterolo P**, Pedemonte M, Velluti R (1995). Intracellular in vivo recording of inferior colliculus auditory neurons from awake guinea-pigs. Arch. Ital. Biol., 134:57-64.
- 2) Pedemonte M, Peña JL, **Torterolo P**, Velluti R (1996). Auditory sensory deprivation modifies sleep in guinea pigs. Neuroscience letters, 223:1-4.
- 3) Pedemonte M, **Torterolo P**, Velluti R (1997). In vivo intracellular recording of inferior colliculus neurons in guinea pigs. Brain Res., 759:24-31.
- 4) **Torterolo P**, Zurita P, Pedemonte M, Velluti RA (1998). Auditory cortical efferent actions upon inferior colliculus unitary activity. Neuroscience letters, 249:172-176.
- 5) Amici R, Domenicone R, Jones CA, Morales-Cobas G, Perez E, Tavernese L, **Torterolo P**, Zamboni G, Parmeggiani PL (2000). Changes in REM occurrence due to rhythmical auditory stimulation in the rat. Brain Res., 868 (2): 241-50.
- 6) **Torterolo P**, Yamuy J, Sampogna S, Morales FR, Chase MH (2000). GABAergic neurons of the dorsal raphe nucleus express c-fos during carbachol induced active sleep. Brain Res., 884:68-76.
- 7) **Torterolo P**, Yamuy J, Sampogna S, Morales FR, Chase MH (2001). GABAergic neurons of the laterodorsal and pedunculo pontine tegmental nuclei of the cat express c-fos during carbachol-induced active sleep. Brain Res, 892:309-319.
- 8) **Torterolo P**, Yamuy J, Sampogna S, Morales FR, Chase MH (2001). Hypothalamic neurons that contain hypocretin (orexin) express c-fos during active wakefulness and carbachol-induced active sleep. Sleep Research Online, 4(1):25-32. <http://www.sro.org/2001/Torterolo/25/>.
- 9) Amici R, Morales-Cobas G, Jones CA, Perez E, **Torterolo P**, Zamboni G, Parmeggiani PL (2001). REM sleep enhancement due to rhythmical auditory stimulation in the rat. Behavioural Brain Research, 123:155-163.
- 10) **Torterolo P**, Falconi A, Morales-Cobas G, Velluti RA (2002). Inferior colliculus unitary activity in wakefulness, sleep and under barbiturates. Brain Research, 935:9-15.
- 11) **Torterolo P**, Morales FR, Chase MH (2002). GABAergic mechanisms in the pedunculo pontine tegmental nucleus of the cat promote active (REM) sleep. Brain Research, 944:1-9.
- 12) **Torterolo P**, Sampogna S, Morales FR, Chase MH (2002). Gudden's dorsal tegmental nucleus is activated in carbachol-induced active (REM) sleep and active wakefulness. Brain Research, 944:184-189.
- 13) Yamuy J, Rojas M, **Torterolo P**, Sampogna S, Chase MH (2002). Induction of rapid eye movement (REM) sleep by neurotrophin-3 and its co-localization with choline acetyltransferase in mesopontine neurons. Neuroscience 115 (1):85-95.
- 14) **Torterolo P** (2002). Hipocretinas: neuropéptidos que regulan la actividad motora y el sueño. Actas de Fisiología 8:71-88. <http://www.rau.edu.uy/universidad/medicina/actas8/torterolo.html>.  
*Corresponding author: Torterolo P*
- 15) **Torterolo P**, Yamuy J, Sampogna S, Morales FR, Chase MH (2003). Hypocretinergic neurons are primarily involved in activation of the somatomotor system. Sleep, 1:25-28.

- 16) **Torterolo P**, Vanini G (2003). Importancia de las hipocretinas en la patogenia de la narcolepsia (breve revisión). *Revista Médica del Uruguay*, 19: 27-33. <http://www.rmu.org.uy/revista/2003v1/art4.pdf>. *Corresponding author: Torterolo P*
- 17) **Torterolo P**, Vanini G, Benedetto L (2004). Role of hypocretins and MCH in the control of waking-and sleep. Fos and microinjections studies in the cat. *Hypnos*, 1 (Suppl 1): 115-129. <http://www.icb.usp.br/~flass/hypnos/artigos.html>. *Corresponding author: Torterolo P*
- 18) Yamuy J, Ramos O, **Torterolo P**, Sampogna S, Chase MH (2005). The role of tropomyosin-related kinase receptors in neurotrophin-induced rapid eye movement sleep in the cat. *Neuroscience*,135(2):357-69.
- 19). Mc Gregor R, Damián A, Fabbiani G, **Torterolo P**, Pose I, Chase M, Morales F.R. (2005). Direct hypothalamic innervation of the trigeminal motor nucleus: A retrograde tracer study. *Neuroscience*, 136 (4):1073-81.
- 20) **Torterolo P**, Sampogna S, Morales FR, Chase MH (2006). MCH-containing neurons in the hypothalamus of the cat: searching for a role in the control of sleep and wakefulness. *Brain Research*, 1119:101-114.
- 21) Vanini G, **Torterolo P**, McGregor, R., Chase MH and Morales FR (2007). GABAergic processes in the mesencephalic tegmentum modulate the occurrence of active (REM) sleep in the guinea pig. *Neuroscience*,145:1157-1167
- 22) **Torterolo P**, Vanini G (2007). Rol del sistema hipocretinérgico en al fisiología y patología del sueño. *Avances de la Medicina del Sueño en Latinoamérica*, 2:5-12. *Corresponding author: Torterolo P*
- 23) **Torterolo P**, Lagos P, Sampogna S, Chase MH (2008). Melanin-concentrating hormone (MCH) immunoreactivity in non-neuronal cells within the raphe nuclei and subventricular region of the brainstem of the cat. *Brain Research*, 1210:163-178.
- 24) **Torterolo P**, Sampogna S, Morales FR, Chase MH (2009). MCHergic projections to the nucleus pontis oralis participate in the control of active (REM) sleep. *Brain Research*,1268:76-87. *Corresponding author: Torterolo P*
- 25) **Torterolo P**, Benedetto L, Lagos P, Sampogna S and Chase MH (2009). State-dependent pattern of c-Fos protein expression in regionally-specific sites within the preoptic area of the cat. *Brain Research*, 1267:44-56. *Corresponding author: Torterolo P*
- 26) Lagos P, **Torterolo P**, Jantos H, Chase MH., Monti JM (2009). Effects on sleep of melanin-concentrating hormone (MCH) microinjections into the dorsal raphe nucleus. *Brain Research*, 1265: 103-10. *Corresponding author: Torterolo P*
- 27) **Torterolo P**, Vanini G. (2010). Nuevos conceptos sobre la generación y el mantenimiento de la vigilia. *Revista de Neurología*, 50 (12):747-758. *Corresponding author: Torterolo P*
- 28) **Torterolo P**, Vanini G. (2010). Sobre la vigilia y el sueño. Replica. *Revista de Neurología*, 51:767-8. *Corresponding author: Torterolo P*

- 29) **Torterolo P**, Castro S, Falconi A, Lagos P (2010). Hormona Concentradora de Melanina (MCH): neuropéptido hipotalámico que facilita la generación del sueño. *Revista Mexicana de Neurociencias*, 11 (1): 46-51. *Corresponding author: Torterolo P*.
- 30) Lagos P, Urbanavicius J, Scorza MC, Miraballes R, **Torterolo P**. (2011). Depressive-like profile induced by MCH microinjections into the dorsal raphe nucleus evaluated in the forced swim test. *Behavioural Brain Research*, 218(2):259-66. *Corresponding author: Torterolo P*
- 31) Fung SJ, Xi M, Zhang J, **Torterolo P**, Sampogna S, Morales FR, Chase MH (2011). Projection neurons from the central nucleus of the amygdala to the nucleus pontis oralis. *Journal of Neuroscience Research*, 89 (3):429-36
- 32) Lagos P, **Torterolo P**, Jantos H, Monti JM (2011). Immunoneutralization of melanin-concentrating hormone (MCH) in the dorsal raphe nucleus: effects on sleep and wakefulness. *Brain Research*, 1369: 112-118. *Corresponding author: Torterolo P*
- 33) **Torterolo P**, Lagos P, Monti JM (2011). Melanin concentrating hormone (MCH): a new sleep factor?. *Frontiers in Neurology* 2:1-12. *Corresponding author: Torterolo P*
- 34) Ramos O, **Torterolo P**, Lim V, Chase MH, Sampogna S, Yamuy J (2011). The role of mesopontine NGF in sleep and wakefulness. *Brain Research*, 1413:9-23.
- 35) **Torterolo P**, Sampogna S, Chase MH (2011). A restricted parabrachial pontine region is active during non-REM sleep. *Neuroscience*, 190:184-196. *Corresponding author: Torterolo P*
- 36) **Torterolo P**, Ramos O, Sampogna S, Chase MH (2011). Hypocretinergic neurons are activated in conjunction with goal-oriented survival-related motor behaviors. *Physiology and Behavior* 104:823-830.
- 37) Ungerfeld R, Alzugaray S, Quintela HG, Lagos P, **Torterolo P**, Bielli A (2011). Melanin concentrating hormone (MCH) in the cerebrospinal fluid of the ewes during induced and spontaneous follicular phases. *Peptides*, 32:2511-2513.
- 38) Quintela G, Bielli A, **Torterolo P**, Lagos P, Alzugaray S, Ungerfeld R (2012). Repeated collection of cerebrospinal fluid from the lumbosacral region of ewes. *Acta Scientiae Veterinariae*, 40 (1): 1018.
- 39) Benedetto L, Chase MH, **Torterolo P** (2012). GABAergic processes within the Median Preoptic Nucleus promote NREM sleep. *Behavioural Brain Res*, 232 (1): 60-65. *Corresponding author: Torterolo P*
- 40) Lagos P, Monti JM, Jantos H, **Torterolo P** (2012). Microinjection of the melanin-concentrating hormone into the lateral basal forebrain increases REM sleep and reduces wakefulness in the rat. *Life Science*, 90:895-899
- 41) **Torterolo P**, Sampogna S, Chase M (2013). Hypocretinergic and non-hypocretinergic projections from the hypothalamus to the REM sleep executive area of the pons. *Brain Research*, 1491:68-77. *Corresponding author: Torterolo P*
- 42) Benedetto L, Rodriguez-Servetti Z, Lagos P, D'Almeida V, Monti JM, **Torterolo P**. (2013). Microinjections of Melanin Concentrating Hormone into the lateral preoptic area promotes Non-REM sleep. *Peptides*, 39:11-15. *Corresponding author: Torterolo P*

43) Monti JM, **Tortero P**, Lagos P (2013). Melanin-concentrating hormone control of sleep-wake behavior. *Sleep Medicine Reviews*, 17:293-298

44) Castro S, Falconi A, Chase M, **Tortero P** (2013). Coherent neocortical 40-Hz oscillations are not present during REM sleep. *European Journal of Neuroscience*, 37(8):1330-9. *Corresponding author: Tortero P*

45) Falconi A, Gutierrez M, Benedetto L, Abin-Carriquiri JA, Bracesco N, **Tortero P**, Waking-promoting action of Yerba Mate (*Ilex paraguariensis*) (2013). *Sleep Science*, 2013;6(1):9-15. *Corresponding author: Tortero P*

46) Cabrera G, Cavelli M, Lopez C, Rodriguez-Servetti S, Vanini G, Chase M, Falconi A, **Tortero P**. (2013). Wakefulness-promoting role of the inferior colliculus. *Behav Brain Res*, 256: 82-94. *Corresponding author: Tortero P*

47) López-Hill X, Pascovich C, Urbanavicius J; **Tortero P**, Scorza C (2013). The median raphe nucleus participates in the depressive-like behavior induced by MCH:differences with the dorsal raphe nucleus. *Peptides*, 50:96-99

### **TRABAJOS ENVIADOS A PUBLICAR**

1) Brando V, Castro S, Falconi A, **Tortero P**, Migliaro E.R. Statistical, spectral and non-linear analysis of the heart rate variability during wakefulness and sleep. Enviado a publicar. *Corresponding author: Tortero P*

2) Calegare B, Fernandes L, Dias A, Costa A, Lagos P, **Tortero P**, D'Almeida V. Melanin-concentrating hormone levels in the CSF during paradoxical sleep deprivation and rebound. Comparison with hypocretin-1 (orexin-A). Enviado a publicar. *Corresponding author: Tortero P*

3) Benedetto L, Pereira M, Ferreira A, **Tortero P**. Melanin-concentrating hormone in the medial preoptic area reduces active components of maternal behavior. Enviado a publicar

4) Urbanavicius J, Lagos P, **Tortero P**, Scorza C. The depressive-like effect induced by melanin-concentrating hormone microinjected into the rat dorsal raphe nucleus is not accompanied by changes in anxiety-related behaviours. Enviado a publicar

5) **Tortero P**, Scorza C, Urbanavicius J, Devera A, Benedetto L, Pascovich C, Lagos P, Chase M, Monti J. Avances en el estudio de la neurobiología de la depresión: rol de la Hormona Concentradora de Melanina. Enviado a publicar. *Corresponding author: Tortero P*